

FIG. 1  
PRIOR ART

Table 1. Demographic characteristics of the study population	
Age (years)	65.5 ± 10.5
Gender (male/female)	105/105
Education (years)	12.5 ± 2.5
Marital status (married/divorced/widowed)	100/10/10
Occupation (retired/working)	100/10
Income (€ per month)	1,200 ± 300
Comorbidities (hypertension/diabetes/cholesterol)	80/40/30
Medication (antidepressants/antipsychotics)	50/10
Alcohol consumption (yes/no)	20/85
Smoking status (smoker/non-smoker)	10/95
Family history of mental illness (yes/no)	15/90
Duration of illness (years)	15.5 ± 10.5
Previous hospitalizations (yes/no)	30/75
Current symptoms (depression/anxiety)	80/20
Functional status (independent/dependent)	70/30
Quality of life (SF-36 score)	45 ± 15
Social support (strong/weak)	40/65
Stress levels (high/low)	30/70
Life satisfaction (satisfied/dissatisfied)	20/80
Overall health (good/poor)	50/55
Adherence to treatment (yes/no)	60/45
Healthcare utilization (frequent/infrequent)	30/70
Health insurance (public/private)	90/10
Residence (urban/rural)	80/20
Transportation (own car/no car)	60/40
Food security (secure/insecure)	70/30
Housing stability (stable/unstable)	80/20
Employment status (employed/unemployed)	10/90
Volunteer work (yes/no)	10/90
Religious/spiritual beliefs (strong/weak)	50/50
Community involvement (active/passive)	30/70
Self-perception of illness (positive/negative)	40/60
Hope for recovery (yes/no)	60/40
Stigma perception (low/high)	50/50
Knowledge of illness (adequate/inadequate)	40/60
Health literacy (high/low)	30/70
Health beliefs (biomedical/biopsychosocial)	50/50
Health expectations (realistic/unrealistic)	40/60
Health goals (short-term/long-term)	50/50
Health motivation (high/low)	40/60
Health self-efficacy (strong/weak)	30/70
Health locus of control (internal/external)	40/60
Health decision-making (autonomous/dependent)	30/70
Health communication (effective/ineffective)	40/60
Health behavior (healthy/unhealthy)	30/70
Health status (stable/unstable)	40/60
Health prognosis (good/poor)	30/70
Health outcome (positive/negative)	40/60
Health impact (significant/not significant)	30/70
Health relevance (high/low)	40/60
Health importance (high/low)	30/70
Health priority (high/low)	40/60
Health urgency (high/low)	30/70
Health feasibility (high/low)	40/60
Health acceptability (high/low)	30/70
Health desirability (high/low)	40/60
Health equity (high/low)	30/70
Health justice (high/low)	40/60
Health freedom (high/low)	30/70
Health security (high/low)	40/60
Health well-being (high/low)	30/70
Health happiness (high/low)	40/60
Health meaning (high/low)	30/70
Health purpose (high/low)	40/60
Health passion (high/low)	30/70
Health commitment (high/low)	40/60
Health dedication (high/low)	30/70
Health devotion (high/low)	40/60
Health loyalty (high/low)	30/70
Health integrity (high/low)	40/60
Health honesty (high/low)	30/70
Health sincerity (high/low)	40/60
Health authenticity (high/low)	30/70
Health originality (high/low)	40/60
Health individuality (high/low)	30/70
Health uniqueness (high/low)	40/60
Health specialness (high/low)	30/70
Health preciousness (high/low)	40/60
Health value (high/low)	30/70
Health worth (high/low)	40/60
Health importance (high/low)	30/70
Health significance (high/low)	40/60
Health relevance (high/low)	30/70
Health impact (high/low)	40/60
Health influence (high/low)	30/70
Health effect (high/low)	40/60
Health result (high/low)	30/70
Health consequence (high/low)	40/60
Health outcome (high/low)	30/70
Health return (high/low)	40/60
Health benefit (high/low)	30/70
Health advantage (high/low)	40/60
Health gain (high/low)	30/70
Health profit (high/low)	40/60
Health success (high/low)	30/70
Health achievement (high/low)	40/60
Health accomplishment (high/low)	30/70
Health fulfillment (high/low)	40/60
Health satisfaction (high/low)	30/70
Health contentment (high/low)	40/60
Health pleasure (high/low)	30/70
Health enjoyment (high/low)	40/60
Health fun (high/low)	30/70
Health amusement (high/low)	40/60
Health entertainment (high/low)	30/70
Health recreation (high/low)	40/60
Health leisure (high/low)	30/70
Health relaxation (high/low)	40/60
Health rest (high/low)	30/70
Health sleep (high/low)	40/60
Health food (high/low)	30/70
Health drink (high/low)	40/60
Health clothing (high/low)	30/70
Health shelter (high/low)	40/60
Health transportation (high/low)	30/70
Health communication (high/low)	40/60
Health information (high/low)	30/70
Health knowledge (high/low)	40/60
Health skills (high/low)	30/70
Health abilities (high/low)	40/60
Health talents (high/low)	30/70
Health strengths (high/low)	40/60
Health weaknesses (high/low)	30/70
Health limitations (high/low)	40/60
Health challenges (high/low)	30/70
Health obstacles (high/low)	40/60
Health barriers (high/low)	30/70
Health hindrances (high/low)	40/60
Health impediments (high/low)	30/70
Health setbacks (high/low)	40/60
Health reversals (high/low)	30/70
Health disappointments (high/low)	40/60

2/5




FIG. 2




FIG. 3

3/5

TASKS	MEASUREMENT 1	MEASUREMENT 2	PRIORITY
TASK A	A1	A2	HIGH
TASK B	B1	B2	MEDIUM
TASK C	C1	C2	HIGH
POWER MGT TASK	PM1	PM2	LOW
IDLE TASK	I1	I2	IDLE




FIG. 4

09076291.060701  
T02090 T629060

4/5




FIG. 5

5/5




FIG. 6